

## SEQUENCE LISTING

&lt;110&gt;Yukio Sato

&lt;110&gt;TAISHO PHARMACEUTICAL CO., LTD.

&lt;120&gt;methylated CpG polynucleotide

&lt;130&gt;A41216A

&lt;160&gt;6

&lt;210&gt;1

&lt;211&gt;20

&lt;212&gt;DNA

&lt;213&gt;Artificial Sequence

&lt;220&gt;

&lt;221&gt;modified base

&lt;222&gt;9

&lt;223&gt;06-methyl-2'-deoxyguanosine

&lt;400&gt;1

tccatgacgt tcctgatgct

20

&lt;210&gt;2

&lt;211&gt;20

&lt;212&gt;DNA

&lt;213&gt;Artificial Sequence

&lt;220&gt;

&lt;221&gt;modified base

&lt;222&gt;9

&lt;223&gt;06-methyl-2'-deoxyguanosine

&lt;400&gt;2

tccatgtcgt ccctgatgct

20

&lt;210&gt;3

<211>15

<212>DNA

<213>Artificial Sequence

<220>

<221>modified base

<222>8

<223>06-methyl-2'-deoxyguanosine

<400>3

gctagacgtt agcgt

15

<210>4

<211>20

<212>DNA

<213>Artificial Sequence

<220>

<221>modified base

<222>9

<223>06-methyl-2'-deoxyguanosine

<400>4

tccataacgt tcctgatgct

20

<210>5

<211>20

<212>DNA

<213>Artificial Sequence

<400>5

tccatgacgt tcctgatgct

20

<210>6

<211>20

<212>DNA

<213>Artificial Sequence

<220>

<221>modified base

<222>8

<223>5-methyl-2'-deoxycytidine

<400>6

tccatgacgt tcctgatgct

20